Invasive species are "alien species whose introduction does or is likely to cause economic or environmental harm or harm to human health"

(Presidential Executive Order 13112, 2/3/99).

An alien species, also called non-native, non-indigenous, or exotic, is one that is introduced, accidentally or purposefully, into an ecosystem in which it did not evolve. Alien or exotic species can come from other continents, other countries and even other parts of the United States.

Exotic species are not automatically "bad." Most of our important food crops and domesticated animals are exotic. But both exotic and native species (ones that evolved in Maryland) become problems when they are invasive. Invasive species often exhibit certain characteristics: they spread aggressively, reproduce quickly, have short juvenile periods, tolerate a wide range of climatic conditions and habitats, compete efficiently against other species, and thrive in disturbed areas. Unfortunately, the pests and diseases that keep these exotic populations under control in their regions of origin are not present in Maryland. Most of Maryland's invasive species come from somewhere else in the world.

Invasive species cause ecological damage by outcompeting native species, reducing biological diversity, and changing ecosystem functions such as flood and fire regimes or nutrient cycling. The Asian vine kudzu quickly climbs over trees and shrubs and can kill them by strangling and shading. Some invasive species, like the aggressive stinging red imported fire ant, can present serious human health risks. Invasive species also have major economic consequences, ranging from the loss of economically valuable species to the costs of controlling or managing infestations on public lands. Populations of the predominant forest tree in Maryland, the American chestnut, were decimated by the chestnut blight, an exotic fungus accidentally introduced in the 1880s. The state of Maryland spent 1.8 million dollars in 2000 on activities related to exotic invasive species.

Cover photos, clockwise from top left: gypsy moth, purple loosestrife, Asian longhorned beetle, multiflora rose.

About MISC

The Maryland Invasive Species Council (MISC), established in April 2000, is a group of concerned scientists, land managers, business people and citizens acting to reduce the spread of invasive plants, animals and diseases.

Mission Statement

"MISC provides leadership concerning invasive species and encourages efforts that prevent the introduction of, and manage the impact of, invasive species on Maryland ecosystems."

Membership is open to all interested government agencies, organizations, and parties operating or conducting business in Maryland. Present membership includes representatives from:

- Maryland Department of Agriculture
- Maryland Department of Natural Resources
- Maryland Department of Transportation
- Maryland-National Capital Park and Planning Commission
- Maryland Native Plant Society
- Mid-Atlantic Exotic Pest Plant Council, Inc.
- ${\color{red}\bullet} \textbf{The Maryland Nursery and Landscape Association}$
- •The Nature Conservancy
- United States Department of Agriculture
- United States Department of the Interior
- United States Environmental Protection Agency
- •University of Maryland

For further information concerning membership, or to attend a meeting, contact:

Maryland Department of Agriculture

Maryland Department of Agriculture Plant Protection and Weed Management Section (410) 841-5920

This brochure compliments of:

INVASIVE SPECIES of Concern in Maryland

http://www.mdinvasivesp.org



Maryland Invasive Species Council

Invasive Species of Concern in Maryland

Inside is a representative list of species that are, or have potential tobe, invasive in Maryland. It is by no means an exhaustive list, but includes species of great concern because they:

- are currently regulated by a state and/or federal law,
- are widely recognized by biologists and resource managers to degrade natural ecosystems, or negatively affect native species,
- are known to have significant economic impacts on agricultural ecosystems, public infrastructure or natural resources, including impact on recreational activities, or
- have, or can have, deleterious effects on human health.

This list is designed as a guidance tool for:

- $\bullet \, \text{on-the-ground management of existing invasive species},$
- regulatory prevention, quarantine and enforcement activities.
- support of funding requests to the legislature, government agencies and private organizations, and
- education of legislators, regulators, commercial plant and animal producers and the public.

The list does not have regulatory or legal status, and is expected to change over time as the process of invasive species identification and management continues.

Species and Cultivars

Some of the plant species on the list are of commercial importance to the nursery industry and are routinely sold and planted in Maryland. MISC encourages nursery people, landscape architects, designers and installers, and the gardening public to consider alternatives to these species, particularly when plantings are done near parks and other natural areas.

Horticultural selections made from some of these species (e.g., cultivars of daylily, Hemerocallishybrids) may not be invasive. The position of MISC is that cultivars are not presumed to be invasive unless shown to be so.

What can you do?

Invasive species spread in many ways, often helped unintentionally by people. You can slow the spread of invasive species, and prevent new invasions, by being an aware, responsible and vocal steward of your own property.

- Scout for invasive species. Learn which plants and animals are problems in Maryland, so you can recognize them if you see them. The MISC website (mdinvasivesp.org) features helpful descriptions and pictures.
- Remove invasive species before they become a problem. The best way to control invasives is through early detection and rapid response. Pull, cut, spray or deadhead problem plants before they go to seed. Watch for population explosions of insects or other animals. Report unusual plants, insects or animals to your local Extension agent or Animal Control board, and seek their assistance.
- Avoid introducing invasive species. Check with plant sellers before you buy, to make sure that the plant you want, whether native or exotic, is not invasive. Ask about non-invasive alternatives for your garden. Keep wildlife wild –don't approach wildlife with food, or release exotic pets and aquarium fish into the wild.
- Avoid transporting invasive species. Seeds of invasive plants and immature stages of insects are easily moved from place to place on hiking boots, car tires, pants cuffs, and camping or recreational gear. Invasive zebra mussels colonize boat hulls. Check that your gear or boat is clean, especially when entering wildlands or other natural areas, or new bodies of water. Don't bring species into Maryland from distant parts of the US, or other regions of the world.
- Minimize disturbance. Many invasive species, especially plants, are adapted to disturbance and rapidly take over newly disturbed areas. Keep open areas on your property to a minimum and monitor disturbed areas for species that spread quickly.
- *Spread the word. Invasive species have environmental, economic and social impacts for all of us. Report your observations to appropriate state government agencies and conservation groups. Share what you know and learn with your friends and neighbors.

For Further Information

 $Southeast\,Exotic\,Pest\,Plant\,Council\,(www.se-eppc.org)$

Missouri Department of Conservation (www.conservation.state.mo.us/nathis/exotic/vegman) Illinois Department of Conservation (www.inls.uiuc.edu/edu/VMG/VMCihmi)

Plant Conservation Alliance, Alien Plant Working Group

(www.nps.gov/plants/alien/factmain.htm)

The Nature Conservancy, Wildland Invasive Species Program (www.tncweeds.ucdavis.edu/esadocs.html)

National Park Service (www 1. nature.nps.gov/wv/strat_pl.htm)
United States Department of Agriculture-Animal and Plant Health Inspection

National Agricultural Pest Information System

National Biological Information Infrastructure [NBII]

(www.invasivespecies.gov/geog/state/md.shtml) Forestry Images (www.forestryimages.org/)

USDA/APHIS/PPQ Federal Noxious Weed Program http://www.aphis.usda.gov/ppq/weeds/

Exotic Forest Pest Information System for North America http://www.exoticforestpests.org/english/english.htm

Very Useful Printed Sources

Newcomb, Lawrence. 1977. Newcomb's Wildflower Guide. Little, Brown, and Co., Boston, Massachusetts.

Petrides, G.A. 1988. A Field Guide to Eastern Trees. Peterson Field Guide Series, No. 11. Houghton Mifflin, Boston

Brown, Lauren. 1979. Grasses, An Identification Guide. Boston, Houghton Mifflin.

Brooklyn Botanic Garden. 1996. Invasive Plants, Weeds of the Global Garden. Brooklyn Botanic Garden, 1000 Washington Avenue, Brooklyn. NY 11225.

Bright, Chris and Linda Starke. 1998. Life Out of Bounds: Bioinvasion in a Borderless World. W. W. Norton: Worldwatch.

Devine, Robert S. 1998. Alien Invasion: America's Battle with Non-Native

Animals and Plants. National Geographic Society, Washington, DC

Luken, James O. and John W. Thieret, eds. 1997. Assessment and Management of Plant Invasions. Springer-Verlag, New York, NY

Mooney, Harold A. and Richard J. Hobbs, eds. 2000. Invasive Species in a Changing World. Island Press, Washington D.C.

Westbrooks, Randall. 1998. Invasive Plants, Changing the Landscape of America: Fact Book. Federal Interagency Committee for the Management of Noxious and Exotic Weeds (FICMNEW) Washington, DC

McKnight, Bill N., ed. 1993. Biological Pollution: The Control and Impact of Invasive Exotic Species, Indianapolis Academy of Science, Indianapolis, IN

		Invacivo Sn	vacios of Concorn in Maryland
Key Code	Taxon	Common Name	pecies of Concern in Maryland Description
1, 2, 3	Insects Adelges tsugae	Hemlock Woolly Adelgid	Aphid-like insect native to east Asia, now infesting hemlocks from New England to the Carolinas
1, 2, 3	* Agrilus planipennis	Emerald Ash Borer	Exotic pest of ash trees in the landscape, nurseries and wooded areas; limited North American distribution
1, 2, 3	* Anoplophora glabripennis	Asian Longhorned Beetle	Woodboring beetle native to China, infesting trees in NY and Chicago
1, 2, 3	Exomala orientalis Lymantria dispar	Oriental Beetle Gypsy Moth	Grubs a problem in container nursery production; potentially distributed through nursery trade Caterpillars defoliate oak trees throughout much of eastern US
3	Otiorhynchus sulcatus	Black Vine Weevil	Adults very prolific, wide host range, grubs root feeders; potentially distributed through nursery trade
1, 3 1, 2, 3, 4	Popillia japonica * Solenopsis invicta	Japanese Beetle Red Imported Fire Ant	Adults feed on over 500 species of plants, grubs major turf pests, regulated by quarantine; potentially distributed through nursery trade Readily transported in agricultural commodities; human health hazard; regulated by quarantine, ecologically disruptive
1, 2, 3, 4	Tomicus piniperda	Pine Shoot Beetle	Bark beetle native to Europe and Asia, now infesting pines in Lake States, New England and parts of MD
	Other law and banks		
2,3	Other Invertebrates * Bythotrephes cederstroemi	Spiny Water Flea	Freshwater invasive that may outcompete small fish for food; currently found in Great Lakes and other inland lakes
1, 2, 3	Carcinus maenas	Green Crab	Rapidly reproducing marine animal that feeds on commercially important mollusk species; host for marine worm that kills eider ducks
2, 3 2	Corbicula fluminea * Daphnia lumholtzi	Asian Clam Daphnia	Fouls power plants, irrigation canals and pipes, drinking water supplies, and competes with native freshwater species for food and space Spiny freshwater organism that is preyed on by young fish but is difficult to consume; may decrease survivorship
1 2, 3	* Dreissena polymorpha	Zebra Mussel	Freshwater mussel that fouls water supply pipes, boat engine cooling systems, and interferes with native mussel growth and survival
1 2, 3, 4	* Eriocheir sinensis	Chinese Mitten Crab	Secondary host to oriental lung fluke, burrows cause bank erosion in estuaries and rivers; damages fishing nets and eats fish caught in nets
1, 2, 3	* Cryptomphalus aspersus Hemigrapsus sanguineus	Brown Garden Snail Japanese Shore Crab	Causes extensive damage in orchards by feeding on ripe or ripening fruit and young trees, regulated by quarantine federally and statewide Invades saline water; has been collected in Maryland Coastal Bays, may serve as a competitor for many native crabs
1, 3	Heterodera glycines	Soybean Cyst Nematode	Major crop pest of soybeans and other pea family members
1, 3	Heterodera zeae	Corn Cyst Nematode	Affects corn crops and other grasses, first found in Maryland in 1981
1, 3 1, 3	Meloidogyne hapla Meloidogyne incognita	Northern Root Knot Nematode Southern Root Knot Nematode	Destroys roots of many vegetable and fruit crops and ornamentals in northern hemisphere Destroys roots of many vegetable and fruit crops and woody plants in warmer climates
2	Orconectes virilis	Virile Crayfish	Invader of lakes & streams; displaces native crayfish, reduces the kinds and quantities of aquatic plants and invertebrates
2	Orconectes rusticus	Rusty Crayfish	Invader of lakes & streams; displaces native crayfish, reduces the kinds and quantities of aquatic plants and invertebrates
2	* Rapana venosa	Rapa Whelk	Released through ballast water; predator of hard clams but will also consume soft clams and oysters
	Vertebrates		
2, 3 1, 2, 3, 4	Branta canadensis * Channa micropeltes	Canada Goose (non-migratory) Northern Snakehead	Populations have grown rapidly in the last three decades, displays aggressive behavior, eliminates shoreline vegetation A top level predator which can quickly impact local fish populations through predation or displacement
1,2,3	* Ctenopharyngodon idella	Grass Carp	Intentionally introduced in US, may pose a significant threat to submerged aquatic vegetation
2,3	Cygnus olor Gambusia affinis	Mute Swan	Invader of freshwater and saltwater, diet of submerged aquatic vegetation; poses threat to Chesapeake Bay ecosystem
1, 2, 3	Myocastor coypus	Eastern Mosquitofish (non-tidal) Nutria	Introduced for control of mosquitoes, aggressive and predatory behavior have negative impact on populations of small fish Introduced for the fur trade, forages directly on marsh vegetation accelerating the erosion processes associated with tidal currents
	Aquatic Plants		
1 2, 3	* Caulerpa taxifolia	Marine Macroalgae	Popular in saltwater aquariums and escaped into marine environments. Rapid growth crowds out invertebrates, fish, and native algae
2	* Elodea densa	Brazilian Elodea	Found in fresh inland waters, spreads rapidly and outcompetes native plant species; low nutritional value for waterfowl
1, 2, 3	* Eichhornia azurea Hydrilla verticillata	Water Hyacinth Hydrilla	Floating plant, completely covers lakes, ponds, and slow moving rivers, federally listed noxious weed
1, 2, 3	Myriophyllum brasiliense	Parrot Feather	Floating plant, forms dense surface and underwater mats, impassable by motorboats Freshwater invasive that spreads rapidly and clogs rivers, water supplies, farm ponds, and irrigation channels
2,3	Myriophyllum spicatum	Eurasian Milfoil	Fresh to brackish water species that forms dense beds, outcompetes native plants; inferior food source for waterfowl
2, 3 1, 2, 3	Potamogeton crispus * Salvinia molesta	Curly Leaved Pondweed Giant Salvinia	Fresh to brackish water species that forms dense beds, outcompetes native plants; inferior food source for waterfowl Floating plant, covers lakes and ponds, federally listed noxious weed, has been distributed in aquatic nursery trade
1, 2, 3, 4	Trapa natans	Water Chestnut	Fills ponds and lakes from top to bottom; seeds viable for a long period of time, spiny seeds harmful to people wading
	Terrestrial Plants		
2	Acer platanoides	Norway Maple	Tree that escapes from cultivation, invades open fields, meadows and woods where it forms thickets, very prolific seeder
2,3	Ailanthus altissima	Tree of Heaven	Tree that spreads clonally over large areas, will freely seed, very difficult to control
2 1, 3	Alliaria petiolata Allium vineale	Garlic Mustard Wild Garlic	Herbaceous biennial that overtakes floodplain flora and mesic uplands, very adaptable to shady forests Perennial bulb that invades lawns, fields, and meadows, subject to state quarantines
2,3	Ampelopsis brevipedunculata	Porcelain Berry	Woody vine, well established in a variety of habitats, introduced as a cultivated plant, berries spread by birds and other wildlife
2,3	Artemisia vulgaris	Mugwort	Herbaceous perennial that escapes from fields, roadsides and waste places into native habitats
2 1, 2, 3	Berberis thunbergii Carduus acanthoides	Japanese Barberry Plumeless Thistle	Shrub, well established in woodlands and forests, introduced as a cultivated plant, seeds spread by birds and other wildlife Herbaceous biennial that invades roadsides, pastures, and open native habitats, seeds dispersed by wind and wildlife
1, 2, 3	Carduus nutans	Musk Thistle	Herbaceous biennial that invades roadsides, pastures and open native habitats, hybridizes with Plumeless Thistle
2	Celastrus orbiculatus Centaurea maculosa	Oriental Bittersweet Spotted Knapweed	Woody vine established in woodlands and forests, introduced as a cultivated plant, berries dispersed by birds and other wildlife Herbaceous perennial that escapes from fields and roadsides into native habitats
1, 2, 3	Cirsium arvense	Canada Thistle	Herbaceous perennial that invades fields and pastures, establishes clonal colonies, seeds distributed by wind and wildlife
1, 2, 3	Cirsium vulgare	Bull Thistle	Herbaceous biennial that escapes from fields and roadsides into native open habitats, seeds distributed by wildlife
2	Elaeagnus umbellata Hedera helix	Autumn Olive English Ivy	Shrub that invades a variety of native habitats from grassland to forest, introduced as a cultivated plant, berries distributed by wildlife Woody vine that invades forests and woodlands, introduced as a cultivated plant, berries distributed by birds and other wildlife
2	Hemerocallis fulva	Daylily	Herbaceous perennial that invades a variety of native habitats, introduced as a cultivated plant
1, 4	* Heracleum mantegazzianum	Giant Hogweed	Up to 15 ft. tall herbaceous perennial; sap can cause severe skin irritation, blisters and swelling, temporary or permanent blindness
2	Humulus japonicus Lonicera japonica	Japanese Hops Japanese Honeysuckle	Annual vine, introduced as a cultivated plant Woody vine that invades a variety of habitats, introduced as a cultivated plant
2	Lonicera maackii	Amur Honeysuckle	Shrub that invades a variety of habitats, introduced as a cultivated plant, fruit is dispersed by birds and other wildlife
2	Lonicera morrowi Lonicera tatarica	Morrow's Honeysuckle	Shrub that invades a variety of habitats, introduced as a cultivated plant, fruit is dispersed by birds and other wildlife
2 1, 2	Lythrum salicaria	Tartarian Honeysuckle Purple Loosestrife	Shrub that invades a variety of habitats, introduced as a cultivated plant, fruit is dispersed by birds and other wildlife Herbaceous perennial that overtakes native wetlands, prolific seeder, biological control organisms available
2	Microstegium vimineum	Japanese Stiltgrass	Herbaceous annual rapidly expanding into numerous native habitats, shade-tolerant
2 2, 3	Miscanthus sinensis Perilla frutescens	Eulalia Perilla	Herbaceous perennial grass widely grown in nursery trade, early flowering cultivars have viable seed and are spreading to roadsides Herbaceous annual that invades a variety of habitats, introduced as a cultivated plant, used medicinally
1, 2, 3	Phragmites australis	Phragmites	Herbaceous perennial that overtakes wetland ecosystems, forms large colonies
2	Polygonum cuspidatum	Japanese Knotweed	Herbaceous perennial that invades a variety of habitats, forms large colonies, introduced as a cultivated plant
2 2, 3	Polygonum perfoliatum Pueraria montana var.lobata	Mile-a-minute Kudzu	Annual thorny vine that rapidly overtakes shrubs and trees, seeds dispersed by water Woody vine that rapidly overtakes shrubs and trees
2,3	Ranunculus ficaria	Lesser Celandine	Herbaceous perennial that overtakes native floodplain flora, difficult to control due to persistent underground tubers
1, 3	Sorghum bicolor	Shattercane	Annual grass that invades agricultural and natural ecosystems
1, 2, 3	Sorghum halepense Rosa multiflora	Johnsongrass Multiflora Rose	Perennial grass that invades agricultural and natural ecosystems Shrub that overtakes a variety of open and semi-open habitats, fruits dispersed by birds and other wildlife
2	Viruses, Fungi and Other Org Cryphonectria parasitica	anisms Chestnut Blight	Persistent organism first detected in 1904; responsible for loss of native chestnut in US
1, 3	* Plum Pox	Sharka	First discovered in the US in Adams County, PA in 1999; this viral disease of stone fruit disfigures fruit and kills the host tree.
2	* Beech Bark Disease Complex * Phytophthora spp.	Sudden Oak Death	Complex of scale insect and fungal pathogen kills beech trees in Northeast US; not yet in MD Fungal disease killing live oaks and related trees in California
1, 3	* Puccinia hemerocallidis	Daylily Rust	Asian fungal disease of daylily foliage detected in 2000 in Georgia, intercepted in nurseries in Maryland and many other states
KEY			
* Red Alert species: Species not yet established in Maryland but considered to be of high risk.			
1: Currently Regulated by state and/or federal law			
 Widely recognized by biologists and natural resource managers to degrade natural resources and/or negatively impact native species Known to have a negative economic impact on agricultural or natural resources 			
Nown to react a fregative contains, impacts on human for animal) neather than the state of			
rev. February, 2003			
			Total Guidaly, 2000